# series Novello














#### KIT 1

Pressure balance tub & shower KIT including:


- 8" Brass round rain shower head Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 788 with diverter & ceramic disc valve cartridge
- Rough in valve 788
- 5 3/4' Brass tub spout
- 1/2" NPT inlet connections



#### KIT 2

Thermostatic tub & shower KIT including:

- 8" Brass round rain shower head Anti Limestone
- 12" Brass round wall
- mounted arm & flange - Trim 691 with thermostatic valve &
- 2 way diverter volume control Rough in valve 691
- 5 3/4' Brass tub spout
- 1/2" NPT inlet connections




# KIT 3

Pressure balance shower KIT including:

- 8" Brass round rain shower head Anti Limestone
- 12" Brass round wall
- mounted arm & flange
- Trim 697 ceramic disc
- valve cartridge
- Rough in valve 697 1/2" inlet connections







OK / BL



#### KIT 4

Thermostatic shower KIT including:


- 8" Brass round rain shower head - Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 690 with thermostatic valve & 3/4" ceramic disc volume control
- Rough in valve 690 1/2" inlet connections



#### KIT 5

Pressure balance hand shower KIT including:


- 8" Brass round rain shower head Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 788 with diverter & ceramic disc valve cartridge
- Rough in valve 788
- Round wall mounted brass handshower set including
- 1-jet round handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose 1/2" inlet connections



#### KIT 6

Thermostatic hand shower KIT including:


- 8" Brass round rain shower head Anti Limestone
- 12" Brass round wall mounted arm & flange
- Trim 691 with thermostatic valve & 2 way diverter volume control
- Rough in valve 691
- Round wall mounted brass handshower set including
- 1-jet round handshower, wall mounted bracket & supply elbow + flange, 78" flexible hose 1/2" inlet connections






#### RD..74512

12" wallmount shower arm with strengthened fixing.






# RD..74516

16" wallmount shower arm with strengthened fixing.






#### RD..74406

6" Ceiling mount shower arm with strengthened fixing.






#### RD..74412

12" Ceiling mount shower arm with strengthened fixing.






#### RD..75908

Extraslim 8" showerhead only. Round design. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX









#### RD..75910

Extraslim 10" showerhead only. Round design. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX







# RD..75912

Extraslim 12" showerhead only. Round design. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






### 78..75908

8" round brass shower head. Anti-limestone. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






# 78..75910

10" round brass shower head. Anti-limestone. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX






#### 78..75912

12 round brass shower head. Anti-limestone. ½" connections.

Flow Rate: 1.8 GPM @ 60 PSI MAX





PW




#### 86..689

Adjustable shower column with thermostatic mixer, 38° safety button, integrated diverter, brass tube, brass adjustable shower holder.

12" inch round shower head. Single jet hand shower. 78" flexible hose.


Flow Rate: 1.8 GPM @ 60 PSI MAX



#### RD..129

24" brass slide bar kit. Includes: Handshower, Wall mount bracket & supply elbow. Single jet hand shower. 78" flexible hose.

Flow Rate: 1.8 GPM @ 60 PSI MAX



# RD..440

78" flexible hose.

Wallmounted brass handshower kit. 1-jet hand shower. Wall mount bracket & supply elbow.

Flow Rate: 1.8 GPM @ 60 PSI MAX

